

Table 3: Neonatal outcomes.

	First twin	Second twin	<i>p</i> value
WBC at delivery	11655 (10400-16075)	12545 (10225-17462)	0.550
CPR at delivery (mg/L)	12.5 (4.5-17.5)	57 (50-65)	0.034
Gestational age at delivery (weeks)	23.6 (19.1-26.3)	28.2 (25.0-30.0)	0.018
Vaginal delivery	14 (100)	10 (71.4)	0.031
Emergency cesarean section	0	2 (14.3)	0.277
Female gender	5 (45.5)	7 (53.8)	0.682
Birth weight (g)	515 (420-714)	1100 (570-1215)	0.013
Apgar at 1 minute <7	9 (90)	4 (34.6)	0.011
Neonatal survival rate to discharge home	6 (42.9)	9 (64.3)	0.376*
Stillbirth	4 (40)	1 (12.5)	0.220*
Neonatal death	4 (57.1)	2 (25)	0.192*
Respiratory distress syndrome or transient neonatal tachypnea	7 (87.5)	6 (85.7)	0.989*
Bronchopulmonary dysplasia	6 (75)	2 (28.6)	0.427*
Intraventricular hemorrhage grade III or IV	2 (25)	3 (42)	0.480*
Necrotizing enterocolitis	1 (12.5)	1 (14.3)	0.071*
Early onset sepsis with positive hemocultures	4 (50)	1 (14.3)	0.167*

Continuous variables were compared using a nonparametric U Mann-Whitney test presented as medians (25th; 75th percentile). Categorical variables were compared using Chi-square or Fisher exact tests and presented as number (%). Data were adjusted for gestational age at delivery.